



Qingdao Hongsheng New Material Co.,LTD
ADD: 1st Floor, East Office Building 45 Beijing Road,Qianwan Free Trade Port
Zone,Qingdao,China(Shangdong)Pilot Free Trade Zone 2022-1098 (A)
Tel: +86 185 6265 1969
Website: www.hishengchem.cn

Amorphous Poly Alpha Olefin HI8792

Technical Data Sheet

Updated: Aug 2022

Common chemical name	Amorphous copolymer of propylene
Generic name	Polyolefines
CAS number	25895-47-0
Synonym(s)	Amorphous poly alpha olefin copolymer
Color and Appearance property	Small pellet in white or pale yellow

Specification

1	Viscosity /cp (190°C)	110000±20000
2	Softening point / °C	112±4
3	Penetration / dmm (25°C, 100g, 5S)	10±3

Thermal characterisitcs

1. Noncrystalline, waxlike, slightly tacky solids. With increasing temperature, APAOs soften and become more tacky.
2. Stable at room temperature, and they are sufficiently stable for many open- air applications.
3. When exposed to oxygen at elevated temperatures for several hours, the viscosity is reduced and color darkens.

Application	Sealant; Hot melt adhesive; Polymer modification; Thermoplastic compound.
--------------------	---

Package	Net weight 25kg in PP woven bag.
----------------	----------------------------------